

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**GLADE® WAX MELTS - BLUE ODYSSEY™**

Version 1.0

Print Date 07/02/2018

Revision Date 06/27/2018

SDS Number 350000022950

**1. PRODUCT AND COMPANY IDENTIFICATION**

**Product information**

**Product name** : GLADE® WAX MELTS - BLUE ODYSSEY™

**Recommended use** : Air Freshener

**Restrictions on use** : Use only as directed on label

**Manufacturer, importer, supplier** : S.C. Johnson & Son, Inc.  
1525 Howe Street  
Racine WI 53403-2236

**Telephone** : +1-800-558-5252

**Emergency telephone number** : 24 Hour Medical Emergency Phone: (866)231-5406  
24 Hour International Emergency Phone: (703)527-3887  
24 Hour Transport Emergency Phone: (800)424-9300

**2. HAZARDS IDENTIFICATION**

**Classification of the substance or mixture**

**Globally Harmonized System (GHS) Classification**

This product does not meet the criteria for classification in any hazard class according to regulation OSHA 29 CFR 1910.1200.

**Labelling**

**Precautionary statements**

**Other hazards** : None identified

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical name	CAS-No.	Weight percent
Paraffin waxes and Hydrocarbon	8002-74-2	60.00 - 100.00

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**GLADE® WAX MELTS - BLUE ODYSSEY™**

Version 1.0

Print Date 07/02/2018

Revision Date 06/27/2018

SDS Number 350000022950

waxes		
-------	--	--

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see [www.whatsinsidescjohnson.com](http://www.whatsinsidescjohnson.com).

**4. FIRST AID MEASURES**

**Description of first aid measures**

- Eye contact** : No special requirements
- Skin contact** : No special requirements
- Inhalation** : No special requirements.
- Ingestion** : No special requirements

**Most important symptoms and effects, both acute and delayed**

- Eyes** : No adverse effects expected when used as directed.
- Skin effect** : No adverse effects expected when used as directed.  
Contact with hot product will cause thermal burns.
- Inhalation** : No adverse effects expected when used as directed.
- Ingestion** : No adverse effects expected when used as directed.

**Indication of any immediate medical attention and special treatment needed**

See Description of first aid measures unless otherwise stated.

**5. FIREFIGHTING MEASURES**

- Suitable extinguishing media** : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Further information** : Fight fire with normal precautions from a reasonable distance.

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**GLADE® WAX MELTS - BLUE ODYSSEY™**

Version 1.0

Print Date 07/02/2018

Revision Date 06/27/2018

SDS Number 350000022950

Standard procedure for chemical fires. Wear full protective clothing and positive pressure self-contained breathing apparatus.

**6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions** : Wash thoroughly after handling.
- Environmental precautions** : Outside of normal use, avoid release to the environment.
- Methods and materials for containment and cleaning up** : Sweep up and shovel into suitable containers for disposal. Clean residue from spill site.

**7. HANDLING AND STORAGE**

- Handling**
- Precautions for safe handling** : Avoid contact with skin, eyes and clothing. For personal protection see section 8. KEEP OUT OF REACH OF CHILDREN AND PETS.
- Advice on protection against fire and explosion** : Normal measures for preventive fire protection.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Occupational Exposure Limits**

Components	CAS-No.	mg/m3	ppm	Non-standard units	Basis
Paraffin waxes and Hydrocarbon waxes	8002-74-2	2 mg/m3	-	-	ACGIH TWA

**Personal protective equipment**

- Respiratory protection** : No special requirements.
- Hand protection** : No special requirements.
- Eye protection** : No special requirements.

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**GLADE® WAX MELTS - BLUE ODYSSEY™**

Version 1.0

Print Date 07/02/2018

Revision Date 06/27/2018

SDS Number 350000022950

**Skin and body protection** : No special requirements.

**Hygiene measures** : Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

- Form** : Wax.
- Color** : blue
- Odour** : pleasant
- Odour Threshold** : No data available
  
- pH** : Not applicable
  
- Melting point/freezing point** : Not applicable
- Initial boiling point and boiling range** : Not applicable
- Flash point** :  $\geq 135$  °C  
 $\geq 275$  °F  
Method: ASTM D 93
  
- Evaporation rate** : Not applicable
  
- Flammability (solid, gas)** : Sustains combustion
  
- Upper/lower flammability or explosive limits** : No data available
  
- Vapour pressure** : Not applicable

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**GLADE® WAX MELTS - BLUE ODYSSEY™**

Version 1.0

Print Date 07/02/2018

Revision Date 06/27/2018

SDS Number 350000022950

<b>Vapour density</b>	:	No data available	
<b>Relative density</b>	:	No data available	
<b>Solubility(ies)</b>	:	insoluble	
<b>Partition coefficient: n-octanol/water</b>	:	No data available	
<b>Auto-ignition temperature</b>	:	No data available	
<b>Decomposition temperature</b>	:	No data available	
<b>Viscosity, dynamic</b>	:	Not applicable	
<b>Viscosity, kinematic</b>	:	Not applicable	
<b>Oxidizing properties</b>	:	No data available	
<b>Volatile Organic Compounds Total VOC (wt. %)*</b>	:	4.7 % - additional exemptions may apply *as defined by US Federal and State Consumer Product Regulations	
<b>Other information</b>	:	None identified	:

**10. STABILITY AND REACTIVITY**

<b>Reactivity</b>	:	No dangerous reaction known under conditions of normal use.
<b>Chemical stability</b>	:	Stable under recommended storage conditions.

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**GLADE® WAX MELTS - BLUE ODYSSEY™**

Version 1.0

Print Date 07/02/2018

Revision Date 06/27/2018

SDS Number 350000022950

- Possibility of hazardous reactions** : Stable under recommended storage conditions.
- Conditions to avoid** : Direct sources of heat.
- Incompatible materials** : None known.
- Hazardous decomposition products** : Stable under recommended storage conditions.

**11. TOXICOLOGICAL INFORMATION**

- Acute oral toxicity** : LD50 > 5000 mg/kg
- Acute inhalation toxicity** : LC50 0.8 mg/L
- Acute dermal toxicity** : LD50 2166 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	Oral
Acute toxicity	No classification proposed	Dermal
Acute toxicity	No classification proposed	Inhalation - Dust and Mist
Acute toxicity	No classification proposed	Inhalation - Vapour
Acute toxicity	No classification proposed	Inhalation - Gas
Skin corrosion/irritation	No classification proposed	-
Serious eye damage/eye irritation	No classification proposed	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200

**GLADE® WAX MELTS - BLUE ODYSSEY™**

Version 1.0

Print Date 07/02/2018

Revision Date 06/27/2018

SDS Number 350000022950

Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

**Aggravated Medical Condition** : None known.

**12. ECOLOGICAL INFORMATION**

**Product** : The product itself has not been tested.

**Toxicity**

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

**Toxicity to fish**

Components	End point	Species	Value	Exposure time
Paraffin waxes and Hydrocarbon waxes	static test LC50 Read-across (Analogy)	Pimephales promelas (fathead minnow)	> 100 mg/l	96 h

**Toxicity to aquatic invertebrates**

Components	End point	Species	Value	Exposure time
Paraffin waxes and Hydrocarbon waxes	EC50 Read-across (Analogy)	Daphnid	> 10,000 mg/l	48 h

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200

**GLADE® WAX MELTS - BLUE ODYSSEY™**

Version 1.0

Print Date 07/02/2018

Revision Date 06/27/2018

SDS Number 350000022950

	semi-static test NOEC Read-across (Analogy)	Daphnia	10 mg/l	21 d
--	--	---------	---------	------

**Toxicity to aquatic plants**

Components	End point	Species	Value	Exposure time
Paraffin waxes and Hydrocarbon waxes	NOEC Read-across (Analogy)	Pseudokirchneriella subcapitata (green algae)	> 100 mg/l	72 h

**Persistence and degradability**

Component	Biodegradation	Exposure time	Summary
Paraffin waxes and Hydrocarbon waxes	No data available		Not readily biodegradable.

**Bioaccumulative potential**

Component	Bioconcentration factor (BCF)	Partition Coefficient n-Octanol/water (log)
Paraffin waxes and Hydrocarbon waxes	No data available	6.7

**Mobility**

Component	End point	Value
Paraffin waxes and Hydrocarbon waxes	No data available	

**PBT and vPvB assessment**

Component	Results
Paraffin waxes and Hydrocarbon waxes	Not fulfilling PBT and vPvB criteria



**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**GLADE® WAX MELTS - BLUE ODYSSEY™**

Version 1.0

Print Date 07/02/2018

Revision Date 06/27/2018

SDS Number 350000022950

**Other adverse effects** : None known.

**13. DISPOSAL CONSIDERATIONS**

Consumer may discard empty container in trash, or recycle where facilities exist.

**14. TRANSPORT INFORMATION**

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

**Land transport**

Not classified as dangerous in the meaning of transport regulations.

**Sea transport**

Not classified as dangerous in the meaning of transport regulations.

**Air transport**

Not classified as dangerous in the meaning of transport regulations.

**15. REGULATORY INFORMATION**

**Notification status** : All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

**State Right To Know**

No components are subject to the Massachusetts Right to Know Act.		
Minnesota HSL	Paraffin waxes and Hydrocarbon waxes	8002-74-2
New Jersey HRTK	Paraffin waxes and Hydrocarbon waxes	8002-74-2
Pennsylvania RTKL	Paraffin waxes and Hydrocarbon waxes	8002-74-2

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**GLADE® WAX MELTS - BLUE ODYSSEY™**

Version 1.0

Print Date 07/02/2018

Revision Date 06/27/2018

SDS Number 350000022950

**16. OTHER INFORMATION**

**HMIS Ratings**

<b>Health</b>	0
<b>Flammability</b>	1
<b>Reactivity</b>	0

**NFPA Ratings**

<b>Health</b>	0
<b>Fire</b>	1
<b>Reactivity</b>	0
<b>Special</b>	-

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

**Further information**

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment & Regulatory Affairs (GSARA)
-------------	--